

NESD HEAD START

SANITIZING PROCEDURE

2-Step Process:

Clean with hot, soapy water.

Sanitize with Final Step or Unscented Bleach. No rinse needed. Air dry.

FINAL STEP SANITIZER: Must be 200 parts per million (ppm) - Quat test strips.

For tables, countertops, toys.

Start Daily with a fresh supply of sanitizer, and when it becomes soiled.

3-compartment sink sanitizing- immerse dishes for **1 minute**.

CHLORINE BLEACH SANITIZER

Wiping Tables, Counters or Toys: Must be 100 ppm - Chlorine test strips.

1- $\frac{1}{2}$ teaspoons (1/4 oz) bleach to 1 gallon water

3-Compartment Sink Sanitizing: Must be 50 ppm.

$\frac{3}{4}$ teaspoon (1/8 oz) bleach to 1 gallon water

Dishes or toys must be immersed in solution for **10 seconds**.

Dishmachine Sanitizer Test-Use chlorine test strip-Must be 50-100 ppm.

Test water in bottom of dishwasher at end of a cycle.

CLEANING HARD SURFACE TOYS AFTER EMESIS:

Wash toys with hot soapy water. Rinse toys well.

Run toys through dishwasher (or sanitize).

Air-dry toys.

Run dishwasher empty through a cycle to sanitize machine.

*Source: SD Department of Health

For cleaning up blood/bodily fluids: see Blood Borne Procedure (use bleach).

BATHROOM

Choose a sanitizing or disinfectant product appropriate for the type of surface and follow directions for contact time.

FLOORS

Per floor manufacturer's instructions.