

**NESD HEAD START
SANITIZING PROCEDURE**

DINING ROOM TABLES/ KITCHEN/ TOYS THAT ARE MOUTHED:

2-Step Process:

Clean with hot, soapy water.

Sanitize with SaniTyze. No rinse needed. Air dry.

SaniTyze is a ready-to use product. No testing with test strips needed.

CHLORINE BLEACH SANITIZER

Wiping Tables, Counters or Toys: Must be 100 ppm - Chlorine test strips.

1- $\frac{1}{2}$ teaspoons (1/4 oz) bleach to 1 gallon water

3-Compartment Sink Sanitizing: Must be 50 ppm.

$\frac{3}{4}$ teaspoon (1/8 oz) bleach to 1 gallon water

Dishes or toys must be immersed in solution for **10 seconds**.

Dishmachine Sanitizer Test-Use chlorine test strip-Must be 50-100 ppm.

Test water in bottom of dishwasher at end of a cycle.

CLEANING HARD SURFACE TOYS AFTER EMESIS:

Wash toys with hot soapy water. Rinse toys well.

Run toys through dishwasher (or sanitize).

Air-dry toys.

Run dishwasher empty through a cycle to sanitize machine.

*Source: SD Department of Health

For cleaning up blood/bodily fluids: see Blood Borne Procedure (use bleach).

BATHROOM

Choose a sanitizing or disinfectant product appropriate for the type of surface and follow directions for contact time.

FLOORS

Per floor manufacturer's instructions.